

Module 16105 Practice Exam

Introduction to Steep-Slope Roofing

Trainee Name: _____ Date: _____

MULTIPLE CHOICE: Choose the most correct answer per question.

1. The first row of asphalt shingles should be installed _____.
 - a) starting at a sidewall
 - b) starting at the eave
 - c) starting at the rake
 - d) before the underlayment

2. Drip edge flashings should be installed _____.
 - a) where the roof intersects a wall
 - b) at the junction between a sidewall and the sloped portion of a roof
 - c) on dormers
 - d) at the roof's perimeter decking and fascia

3. Which of the following components is NOT part of a roof system?
 - a) Underlayment
 - b) Shingles
 - c) Deck
 - d) Flashings

4. Which of the following is an example of a penetration?
 - a) A drip edge
 - b) A ridge
 - c) A hip
 - d) A dormer

5. What aspect of a steep-slope roof allows gravity to move water off a roof, promoting drainage?
 - a) Slope
 - b) Penetrations
 - c) The deck material
 - d) Insulation

6. Which type of flashing helps weatherproof the area where two adjacent slopes intersect?
- a) Ridge flashing
 - b) Flat flange
 - c) Step flashing
 - d) Kickout flashing
7. Which of the following types of steep-slope decks is considered the MOST energy efficient?
- a) Plywood
 - b) Batten and counter-batten
 - c) OSB
 - d) Steel
8. Synthetic roof coverings are made of _____.
- a) copper
 - b) plastic or rubber
 - c) slate
 - d) asphalt
9. Before installing an underlayment, you MUST _____.
- a) ensure the deck is clean, dry, and smooth
 - b) ensure insulation is present
 - c) install gutters
 - d) install flashings
10. Which type of steep-slope roof-covering material has BOTH panel systems and shingle systems popularly available?
- a) Metal
 - b) Asphalt
 - c) Wood
 - d) Clay